LOCOMOTIVE & FREIGHT EQUIPMENT SACRAMENTO NORTHERN RAILWAY AND TIDEWATER SOUTHERN RAILWAY

J.F. PEARCE (1964)

LOCOMOTIVE & FREIGHT EQUIPMENT SACRAMENTO NORTHERN RAILWAY

Diesel Electric Switching 8-Wheel Road Class SN-142

Diesel Electric Switching 8-Wheel Road Class SN-201

Diesel Electric Switching 8-Wheel Road Class SN-301

Box Car Class XM Car Numbers SN 2301-2327

Box Car Class XM Car Numbers SN 2329-2350

Box Car Class XM Car Numbers SN 2401-2500

Drop Bottom Gondola Class G5 Car Numbers SN 4001-4020

Gondola Cars Class GB Car Numbers SN 4501-4525

Covered Hopper Car Class L0 Car Numbers SN 5001-5010

Covered Hopper Car Class L0 Car Numbers SN 5011-5020

Covered Hopper Car Class L0 Car Numbers SN 5101-5110

Aluminum Covered Hopper Cars Class L0 Car Numbers SN 5501-5510

Insulted Box Cars Class RBL Car Numbers SN 8001-8040

LOCOMOTIVE & FREIGHT EQUIPMENT TIDEWATER SOUTHERN RAILWAY

Diesel Electric Switching 8-Wheel Road Class TS 735

Diesel Electric Switching 8-Wheel Road Class TS 741

Drop Bottom Gondola Class G5 Car Numbers TS 201-205

Box Car Class XM Car Numbers TS 501-525

Insulted Box Cars Class RBL Car Numbers TS 601-610


Insulted Box Cars Class RBL Car Numbers TS 611-620

-Transcribed Paul Finnegan 5/14/2021


LOCOMOTIVE & FREIGHT SACRAMENTO MORTHERN RAILWAY

TIDEWATER SOUTHERN RAILWAY


LOCOMOTIVE & FREIGHT EQUIPMENT SACRAMENTO NORTHERN RAILWAY




S.N.R.Y. Nos. 201-202 No OF LOCO'S. 2 DIESEL-ELECTRIC SWITCHING 8-WHEEL ROAD CLASS SN-201 SYMBOL 5-41 LOCO. 201 1955 SPEC. No.RY-24224-D AIR COMPRESSOR TRACTIVE POWER 41.300 LBS FUEL - DIESEL OIL LOCO. 202 1956 SPEC NO.RY-24224-E I WESTINGHOUSE MODEL 2CB WEIGHTS IN WORKING ORDER MAX PERMISSIBLE SPEED 55 MPH POWER PLANT BRAKE EQUIPMENT TOTAL ON DRIVERS 139,000 LBS LCCO 201 600 HP COOPER-BESSEMER NEW YORK A.B. CO. STRAIGHT MAX TRACK CURVE 75 FT RADIUS TOTAL DRY (LIGHT)WT. 132.800 LB'S DIESEL ENGINE TYPE FWL-GT É AUTOMATIC SCHEDULE 14-EL AXLE LOAD 34400 LBS 6-9"XIOS" CYLS, IN LINE TYPE 4 CYCLE GENERATORS FUEL-DIESEL OIL 500 GALS. 1-G.E. DIRECT CURRENT TYPE GT-57/ LUBR 1-G.E. EXCITER TYPE G.M.G.-146 ENG. COOLING WATERS TO TRACTION MOTORS SAND NOTE: 4 G.E. DIRECT CURRENT TYPE G.E. 748 * INCLUDES FULL LOAD FUEL GEAR RATIO 105:15 OIL, LUBR. OIL WATER, SAND -- 10-0 ALL EQUIP AND 2-MEN. RWC 4-25-58



BOX CAR, CLASS XM BUILT BY MT. VERNON CAR MFG. CO. 1917-18



BOX CAR, CLASS XM BUILT BY MT. VERNON CAR MEG. CO.




BUILDERS LOT NO. 8268-B

BOX CAR CLASS XM BUILT BY PULLMAN STANDARD CAR MFG. CO. AFE 5.N. 27-55

CAR NOS S.N. 2401-2500 ORIG NO OF CARS 100

TRUCKS



BARBER S-2-C STABILIZED TRUCKS LENGTH INSIDE __ 50'-5% CAPACITY 100000 LBS WEIGHT - BODY WIDTH " 9-2/2" 4840 CU. FT. RUBBER DRAFT GEARS WESTINGHOUSE TYPE ABIOIZ AIR BRAKES HEIGHT " _____ 10'-5\frac{1}{3}" TOTAL 55800 LBS

RWC 4-22-58

BUILDERS LOT NO. 01-5124 DROP BOTTOM GONDOLA, CLASS GS CAR NOS S.N. 4001-4020 ORIG NO. OF CARS 20 BUILT BY AMERICAN CAR & FOUNDRY CO. AFE SN. 16-57 ALL CARS EQUIPPED WITH LUBRICATOR PADS. POWER HAND BRAKE -10-17 OVER CORNER -46'-0" INSIDE +9'97 INSIDE TYPE A CAST -16 DROP DOORS STEEL WHEELS DOOR OPERATING MECHANISM BY ENTERPRISE RLWY EQUIP CO.

ASF A-3 RIDE CONTROL TRUCKS

LENGTH INSIDE 46'-0" CAPACITY IAODOO LBS WEIGHT - BODY CARDWELL-WEST NY-II-F DRAFT GEAR WIDTH " 9'97 " 2410 CUFT TRUCKS WESTINGHOUSE TYPE AB 1012 AIR BRAKES HEIGHT " 5'-4" LEVEL FULL TOTAL 56300 LBS

BUILDERS LOT 5363 GONDOLA CARS, CLASS GB
BUILT BY AMERICAN CAR & FDRY, JULY 1959
AFE S.N.4-59

LENGTH INSIDE

WIDTH

HEIGHT

NO. OF CARS 25


CAR NOS S.N. 4501-4525

140,000 LBS WEIGHT - BODY 39590

TRUCKS 16440

TOTAL 56030 LBS.

1728 CU.FT.



52'-6"

9'-6"

3-5 3

CAPACITY

KAR-GO BEARINGS

BARBER S-2-A STABILIZED TRUCKS

MINER A-22-XL DRAFT GEARS


BUILDERS LOT NO. 11-5259

COVERED HOPPER CAR, CLASS LO
BUILT BY AMERICAN CAR & FOUNDRY CO.

AFE S.N. 2-59

CAR NOS. S.N. 5001-5010 ORIG. NO. OF CARS 10


ALL CARS EQUIPPED WITH LUBRICATOR PADS.



BUILDERS LOT 8460-G

COVERED HOPPER CARS, CLASS LO BUILT BY PULLMAN STANDARD MAY 1959 AFE S.N. 4-59

CAR NOS S.N. 5011-5020 NO. OF CARS 10



ENTERPRISE PNEUMATIC OUTLETS ASF A-3 RIDE CONTROL TRUCKS WAUGH NO. 420 DRAFT GEARS TIMKEN AP ROLLER BEARINGS

LENGTH INSIDE WIDTH

41-04

3219 CU.F.T.


CAPACITY 140,000 LBS. WEIGHT-BODY 46260 TRUCKS 16440 TOTAL 62700 LB.

RWC 3-10-60

BUILDERS LOT 11-5389-E

COVERED HOPPER CARS, CLASS LO BUILT BY AMERICAN CAR & FOUNDRY MARCH 1960 AFE S.N. 12-60

CAR NOS 5.N 5101-5116 NO. OF CARS 10



KEYSTONE OUTLET GATES ASF A.3 RIDE CONTROL TRUCKS DRAFT GEAR AAR APPROVED TIMKEN AP ROLLER BEARINGS

LENGTH INSIDE WIDTH

4/103 CAPACITY 140,000 ... BS. WEAGHT BODY 45/60 9.17" 3500 CUFT TRUCKS 16440

RWC 4-6-60


BUILDERS LOT 11-5778 ALUMINUM COVERED HOPPER CARS CLASS LO CAR NOS S.N. 5501-5510 NO. OF CARS 10 BUILT BY AMERICAN CAR & FOUNDRY NOV. 1961 AFF S.N. 28-61 NOTE: END COMPARTMENTS 1152 CU.FT. EACH CENTER COMPARTMENTS 823 CU.FT. EACH -3:65 7:65 - 8:13 + 4:14 - 4:14 -13 x 24" OPENING -5-10 = - 5'10" × 6 1 x 12" JOUR MIN WROT STL WHLS! 6-67 4 5-83 -353 5'83 203 208 5'83 3'53 5'83 6'67 46-6 TRUCK CENTERS J 5-2" > ABEL 78 × 12" x 9" BRAKES, V-139 COBRA BRAKE SHOES 56-6" OVER STRIKERS KEYSTONE OUTLET GATES LENGTH INSIDE 46'-6" 200,000 LBS. WEIGHT-BOOK 22700 ASK A-3 RIDE CONTROL TRUCKS CAPACITY 3950 CUFT " - TRUCKS 21600 10'-2" NATIONAL ME-400A RUBBER DRAFT GEAR WIDTH "

TOTAL

44300

RWC 11-14-41

TIMIKEN AP ROLLER BEARINGS



LOCOMOTIVE & FREIGHT EQUIPMENT TIDEWATER SOUTHERN RAILWAY

ROAD CLASS TS-735 T.S.RY No. 735 No. OF LOCOS. DIFSFI-FIECTRIC SWITCHING 8-WHEEL SYMBOL S-26 BUILT - GEN. ELEC. Co. 1946 . FUEL-DIESEL OIL SPEC. NO. RY-24/47-G *WEIGHTS IN WORKING ORDER AIR COMPRESSOR TRACTIVE POWER 26400 LBS. POWER PLANT TOTAL ON DRIVERS 88000 LBS 2-190 H.P. CATERPILLAR DIESEL 2 GARDNER-DENVER TYPE ADS. MAX. PERMISSIBLE SPEED 35 MPH ENGINES TYPE D-17000 BRAKE EQUIPMENT TOTAL DRY(LIGHT) WT. 84.900 LBS WESTINGHOUSE A.B. CO. STRAIGHT 8-53,8" CYLS V" TYPE, 4 CYCLE MAX. TRACK CURVE 50 FT RADIUS. AND AUTOMATIC SCHEDULE 14-EL GENERATORS AXLE LOAD 22000 LBS. 2-G.E. DIRECT CURRENT TYPE GT-555 FUEL-DIESEL OIL _____250 GALS. 2-G.E. EXCITER TYPE G.M.G.-140 LUBR. _____ 100GALS. TRACTION MOTORS 4 GE DIRECT CURRENT TYPE G.E-733 ENGINE COOLING WATER . 80 GALS GEAR RATIO 11.25 TO 1 SAND CONTROL EQUIP. G.E. TYPE M. 1 T CLOSED POSIN -33"DIA. 3 CLEARANCE 5"x 9" JOUR! NOTE -* INCLUDES FULL LOAD FUEL CIL LUBR. OIL, WATER, SAND ALL EQUIP & 2 MEN. R.W.C. 3-15-47


T.S.RY. Nos741-743 Nº OF LOCO'S 3 BUILT-GEN ELEC CO 1948(143-1953) DIESEL-ELECTRIC SWITCHING 8-WHEEL ROAD CLASS TS741 SYMBOL 5-41 SPEC No. RY-24224 AIR COMPRESSOR TRACTIVE POWER 41,300 LBS FUEL - DIESEL OIL POWER PLANT I WESTINGHOUSE MODEL 4ZB WEIGHTS IN WORKING ORDER MAX. PERMISSIBLE SPEED 55 MPH. 1-600 H.P. COOPER-BESSEMER BRAKE EQUIPMENT TOTAL ON DRIVERS 137,600 LBS. NEW YORK A.B. CO. STRAIGHT MAX TRACK CURVE 75 FT. RADIUS DIESEL ENGINE TYPE FWL-6T TOTAL DRY (LIGHT) WT. 132,800 LBS. 6-9"X102" CYLS, IN LINE TYPE 4 CYCLE É AUTOMATIC SCHEDULE 14-EL AXLE LOAD 34,400LBS. GENERATORS I-G.E. DIRECT CURRENT TYPE GT-571 FUEL - DIESEL OIL 500 GALS 1-G.E. EXCITER TYPE G.M.G.-146 LUBR TRACTION MOTORS ENG. COOLING WATER STOR 4 G.E. DIRECT CURRENT TYPE G.E. 748 SAND NOTE: GEAR RATIO 105:15 * INCLUDES FULL LOAD FUEL OIL, LUBR. OIL, WATER, SAND. CONTROL EQUIPMENT ALL EQUIP AND 2 MEN. G.E. TYPE M 53 × 10" VOUR GEAR CASE - 6-10 RWC 6-13-50

CAR NOS. T.S. 201-205 BUILDERS LOT NO 01-5/24 DROP BOTTOM GONDOLA, CLASS GS ORIGINO OF CARS 5 BUILT BY AMERICAN CAR & FOUNDRY CO. 4FE T.S. 5-57 ALL CARS EQUIPPED WITH 4 KIN STANKS LUBRICATOR PADS DOWER HAND BRAKE - 10 1 ME CONTR my 9 / Mysille " 46-0 WSIPE & CHEON DOOMS TYPE A CAST STEEL WHEELS THOREW THE MECHANISM -5.8 BY INTERRISE REWY EQUIP CO. 140000 185 WE IGHT - BODY CAPACITY . 46.0 ASF A-3 RIDE CONTROL TRUCKS LENGTH INSIDE 2410 CUFT TRUCKS 4.9 3 CARDWELL-WEST NY-II-F DRAFT GEAR WILITH LEVEL FULL . TOTAL 56300 LBS WESTINGHOUSE TYPE ABIOIZ AIR BRAKES HEIGHT RWC 423 58

BUILDERS LOT NO. 8240

BOX CAR, CLASS XM BUILT BY PULLMAN STANDARD CAR MFG. CO. AFE T.S. 23-55.

CAR NOS. T.S. 501- 525 ORIG NO. OF CARS 25



SCULLIN A-3 RIDE CONTROL TRUCKS LENGTH INSIDE....50'-5% CAPACITY.....100000 LBS. WEIGHT - BODY
N.M. & S.C. CO. TYPE MF-275 RUBBER DR. GEAR WIDTH " --- 9'-2% " --- 4844 CU.FT. TRUCKS
WESTINGHOUSE TYPE AB-1012 AIR BRAKES HEIGHT " --- 10'-5% TOTAL 520

TRUCKS TOTAL 52000 LBS

BUILDERS LOT NO. WP-57. INSULATED BOX CAR, CLASS RBL CAR NOS. T.S 601 - 610 ORIG. No. OF CARS 10 BUILT BY PACIFIC CAR & FOUNDRY CO. AFE T.S. 17-57 75 601-605, I WERR WROT STL. WHEELS 601-605 606-610 TS 606-610 TYPE "A" CAST STL WHEELS ROLLER BEARINGS HYATT TIMKEN CARS EQUIPPED WITH PC LOADERS: DRAFT GEAR FR-16 MF-400 TS 601 - 608, 8 BELTS TS 609-610. 6 BELTS -5\$ × 10 JOUR ROLLER BERRINGS WHEELS. 5'-6' A1'-23 TRUCK CENTERS

51'-08" OVER END SILLS

52'-23" OVER STRIKERS SEE NOTE

BARBER STABILIZED, TYPE S.2.C TRUCKS LENGTH INSIDE 50'-0" CAPACITY 97000 LBS. WEIGHT - BODY
RUBBER DRAFT GEAR-SEE TABLE WIDTH " 9'-2" " 4154 CU.FT. TRUCKS
WESTINGHOUSE TYPE AB-1012 AIR BRAKES HEIGHT " 9'-1" TOTAL 70900 LBS

HHL. 5-2-58.


BUILDERS LOT Nº WP-58

INSULATED BOX CARS, CLASS RBL BUILT BY PACIFIC CAR & FOUNDRY DEC. 1958 AFE T.S. 2-59

CAR NOS. T. S. 611-620 T. S. 801-840 NO OF CARS 50

NOTE:

TS 611-620 EQUIPPED WITH 6 BELT PC LOADERS - WIDTH INSIDE 9'-2" - TOTAL WT. TO200 LBS. TS 801-840 EQUIPPED WITH 8 BELT DF LOADERS - WIDTH INSIDE 9'-1 $\frac{3}{4}$ " - TOTAL WT. 71400 LBS.



BARBER 5-2-C STABILIZED TRUCKS LENGTH INSIDE _____ 50'-6"

N.M. & S.C.CO. MF-400 RUBBER DRAFT GEAR WIDTH " SEE NOTE

AAR FRICTION BEARINGS HEIGHT " 9'-1"

" 4154 CU.FT.

GHI BODY <u>TRUCKS 145**90**</u> TOTAL SEE NOTE

RWC 10-6-60